







PF-4372RPHT

Display shown: CAT-40/09 Peacock



PF-4372RPHT

Configuration	Width	Depth	Height	Seat depth	Seat height	Weight(Kg)		Volume(m³)	
						N.W	G.W	Soft	Box
2.5RPHT	216	102	95	57	48	159	176	1.84	1.78
2RPHT	165	102	95	57	48	136	150	1.48	1.42
1RPHT	107	102	95	57	48	95	104	0.95	0.95

Seat support Sinuous Spring

Back support Webbing

Seat cushion D/33+Pocket Spring+Dacron+Foam

Back cushion Foam+Dacron

Loadability(Poly bag) 2.5RPHT+2RPHT+1RPHT=16 Sets
 2.5RPHT+2RPHT=20 Sets
 2.5RPHT+1RPHT+1RPHT=17 Sets
 2.5RPHT=34 Pcs 2RPHT=51 Pcs
 1RPHT=68 Pcs

Arm Cushiom ☐ Loose ☒ Attached

Seat Cushiom ☐ Loose ☒ Attached

Back Cushiom ☐ Loose ☒ Attached

Feet ☐ Loose ☒ Attached

Loadability(Box) 2.5RPHT+2RPHT+1RPHT=13 Sets
 2.5RPHT+2RPHT=17 Sets
 2.5RPHT+1RPHT+1RPHT=16 Sets
 2.5RPHT=33 Pcs 2RPHT=36 Pcs
 1RPHT=66 Pcs

Seat Depth 22.5 "

Feet Height 55mm

Feet material Plastic

* All dimensions are approximate. please allow a tolerance of +\ -25mm(1")

* All our furniture is designed to suit a maximum user weight of 120kg.

* Size and style of actual components will vary according to range.

As a result of our policy of continuous design and development, we reserve the right to alter dimensions and specifications without prior notice.

PF-4372RPHTMT

Configuration	Width	Depth	Height	Seat depth	Seat height	Weight(Kg)		Volume(m³)	
						N.W	G.W	Soft	Box
2RPHTMT	198	102	95	57	48	162	181	/	1.84

Seat support Sinuous Spring

Back support Webbing

Seat cushion D/33+Pocket Spring+Dacron+Foam

Back cushion Foam+Dacron

Loadability(Poly bag)

Arm Cushion ☐ Loose ☒ Attached

Seat Cushion ☐ Loose ☒ Attached

Back Cushion ☐ Loose ☒ Attached

Feet ☐ Loose ☒ Attached

Loadability(Box) 2RPHTMT=34 Pcs

Seat Depth 22.5 "

Feet Height 55mm

Feet material Plastic

* All dimensions are approximate. please allow a tolerance of +\ -25mm(1")

* All our furniture is designed to suit a maximum user weight of 120kg.

* Size and style of actual components will vary according to range.

As a result of our policy of continuous design and development, we reserve the right to alter dimensions and specifications without prior notice.