




PF-4256

RPHTU/RPB

Display shown: CAT-60/23



PF-4256RPHTU/RPB

Configuration	Width	Depth	Height	Seat depth	Seat height	Weight(Kg)		Volume(m ³)	
						N.W	G.W	Soft	Box
3RPHTU	208	99	104	53	48	114	134	1.87	1.87
2RPHTU	152	99	104	53	48	/	/	1.37	1.30
1RPHTU	94	99	104	53	48	55	65	0.87	0.81
3RPB	208	99	104	53	48	/	/	1.87	1.87
2RPB	152	99	104	53	48	77	90	1.37	1.30
1RPB	94	99	104	53	48	/	/	0.87	0.81

Seat support Sinuous Spring

Back support Webbing

Seat cushion D/33+Pocket Spring+Dacron+Foam

Back cushion Fibre fill

Loadability(Poly bag) 3RPHTU+2RPHTU+1RPHTU=18 Sets
 3RPHTU+2RPHTU=21 Sets
 3RPHTU+1RPHTU+1RPHTU=18 Sets
 3RPHTU=36 Pcs 2RPHTU=48 Pcs
 1RPHTU=72 Pcs

Arm Cushiom ☐ Loose ☒ Attached

Seat Cushiom ☐ Loose ☒ Attached

Back Cushiom ☐ Loose ☒ Attached

Feet ☐ Loose ☒ Attached

Loadability(Box) 3RPHTU+2RPHTU+1RPHTU=16 Sets
 3RPHTU+2RPHTU=20 Sets
 3RPHTU+1RPHTU+1RPHTU=19 Sets
 3RPHTU=36 Pcs 2RPHTU=51 Pcs
 1RPHTU=88 Pcs

Seat Depth 21 "

Feet Height 12mm

Feet material Plastic

* All dimensions are approximate. please allow a tolerance of +\ -25mm(1")

* All our furniture is designed to suit a maximum user weight of 120kg.

* Size and style of actual components will vary according to range.

As a result of our policy of continuous design and development, we reserve the right to alter dimensions and specifications without prior notice.

Loose Fibre

Premium quality loose fiber in backs and arms offer plush comfort and support

Fluted Bag

Multi-channel baffled bags inside of arms, backs and pillow-tops retain positioning of loose fiberfill and define shapes

Webbing

Plywood

Solid Wood Frame

Polyurethane Foam

High density 2.0 polyurethane foam cushions wrapped in fiber for comfort, appearance and longevity

Dacron Layer

Pocket Spring Unit

Nosag Spring

100% steel heavy gauge sinuous Spring suspension system Interconnected sinuous springs distribute weight and enhance uniform seating comfort

* Disclaimer: Materials use may vary depending on model

