PREMIER



POWER RECLINE

POWER HEADREST

USB A+C PORT



PF-4880

RPB/RPHT

Display shown:CAT-40/15



PREMIER

PF-4880RPB/RPHT

Configuration	Width	Depth	Height	Seat depth	Seat height	Weight(Kg)		Volume(m³)	
						N.W	G.W	Soft	Box
2.5RPHT	203	98	103	56	51	110	126	1.71	1.72
2RPHT	163	98	103	56	51	87.5	101	1.39	1.39
1RPHT	104	98	103	56	51	56.5	67	0.91	0.91
2.5RPB	203	98	103	56	51	103	118	1.71	1.72
2RPB	163	98	103	56	51	81.5	95	1.39	1.39
1RPB	104	98	103	56	51	53.5	64	0.91	0.91

Seat support Sinuous Spring

Back support Webbing

Seat cushion D/33+Pocket Spring+Dacron+Foam

Back cushion Fibre fill

Arm Cushiom ☐ Loose ■ Attached

Seat Cushiom ☐ Loose ■ Attached

Back Cushiom ☐ Loose ■ Attached

Feet ☐ Loose ■ Attached

Seat Depth 56cm

Feet Height 12mm

Feet material Plastic

Loadability(Poly bag) 2.5RPHT+2RPHT+1RPHT=16 Sets
2.5RPHT=36 Pcs 2RPHT=45 Pcs
1RPHT=72 Pcs

Loadability(Box) 2.5RPHT+2RPHT+1RPHT=16 Sets
2.5RPHT=38 Pcs 2RPHT=45 Pcs
1RPHT=78 Pcs

* All dimensions are approximate. please allow a tolerance of +\-25mm(1")
* All our furniture is designed to suit a maximum user weight of 120kg.
* Size and style of actual components will vary according to range.
As a result of our policy of continuous design and development,we reserve the right to alter dimensions and specifications without prior notice.

PREMIER



LIFT UP CHAIR



PF-4880LC2

Display shown:CAT-40/08





PREMIER

PF-4880LC2

Configuration	Width	Depth	Height	Seat depth	Seat height	Weight(Kg)		Volume(m³)	
						N.W	G.W	Soft	Box
1LC2	102	99	105	57	51	60	70	/	0.92

Seat support Sinuous Spring

Back support Webbing

Seat cushion D/33+Pocket Spring+Dacron+Foam

Back cushion Fibre fill

Loadability(Poly bag)

Arm Cushiom ☐ Loose ■ Attached

Seat Cushiom ☐ Loose ■ Attached

Back Cushiom ☐ Loose ■ Attached

Feet ☐ Loose ■ Attached

Loadability(Box) 1LC2=70 Pcs

Seat Depth 57cm

Feet Height 12mm

Feet material Plastic

* All dimensions are approximate. please allow a tolerance of +\-25mm(1")
* All our furniture is designed to suit a maximum user weight of 120kg.
* Size and style of actual components will vary according to range.
As a result of our policy of continuous design and development,we reserve the right to alter dimensions and specifications without prior notice.